

SDS Revision Date: 02/04/2021

1. Identification

1.1. Product identifier

Product Identity Metered Mist Juicy Peach 0744---002

Alternate Names Metered Mist Juicy Peach 0744---002

LHB Part Number: 0744---002

CAGE 0FTT5

National Stock Number: 6840-01-368-4785

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Air Freshener.

1.3. Details of the supplier of the safety data sheet

Company Name LHB Industries

8833 Fleischer Place Berkeley, MO 63134

Emergency

24 hour Emergency Telephone No. (800) 633-8253 (PERS)

Customer Service: LHB Industries (314) 423-4333

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Aerosol 1;H222 Extremely flammable aerosol.

Press. Gas;H280 Contains gas under pressure; may explode if heated.

Flam. Liq. 2;H225 Highly Flammable liquid and vapor.

Eye Dam. 2A;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction. STOT SE 3;H336 May cause drowsiness or dizziness.

Simple Asphyxiant May displace oxygen and cause rapid suffocation.

2.2. Label elements



Danger

H222 Extremely flammable aerosol.

H225 Highly flammable liquid and vapor.

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.



SDS Revision Date: 02/04/2021

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

May displace oxygen and cause rapid suffocation.

Pressurized container: May burst if heated.

[Prevention]:

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P211 Do not spray on an open flame or other ignition source.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+312 IF INHALED: Call a poison center or doctor or physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P333 If skin irritation or a rash occurs:

P337+313 If eye irritation persists: Get medical advice or attention.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C , 122 °F.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.



SDS Revision Date: 02/04/2021

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | | Weight % | GHS Classification | Notes |
|----------------------------------|--------------|------------|--|-------|
| Acetone CAS Number: | 0000067-64-1 | 50 - 75 | Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336 | |
| Propane CAS Number: | 0000074-98-6 | 10 - 25 | Flam. Gas 1;H220 | |
| 1,2-Propanediol CAS Number: | 0000057-55-6 | 5 - 10 | Not Classified | |
| Ethanol CAS Number: | 0000064-17-5 | 1 - 5 | Flam. Liq. 2;H225 | |
| D-Limonene CAS Number: | 0005989-27-5 | 0.10 - 1.0 | Flam. Liq. 3;H226 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 | |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion DO NOT INDUCE VOMITING. Give nothing by mouth. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component

solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of

consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



SDS Revision Date: 02/04/2021

the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements)

for further details.

Inhalation May cause drowsiness or dizziness.

Eyes Causes serious eye irritation.

Skin May cause an allergic skin reaction.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon dioxide and carbon monoxide

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Do not spray on an open flame or other ignition source.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, and have self-contained breathing apparatus available.

SPECIAL PROCEDURES: Use water to cool containers exposed to a fire.

Self-¬extinguishing. Does not hold a flame

ERG Guide No. 126

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up



SDS Revision Date: 02/04/2021

Avoid inhalation. Use good ventilation. Read entire label before using and follow all label directions. Dispose of in accordance with applicable Federal, State & Local regulations. Remove ignition sources and work with non-sparking tools. Use oil absorbent materials.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Keep out of reach of children. Keep away from heat, sparks, and open flame. Vapors will accumulate readily and may ignite explosively. During use and until all vapors are gone: keep area ventilated- DO NOT SMOKE- Extinguish all flames, pilot lights, and heaters- Turn off stoves, electric tools and appliances, and any other source of ignition. Consult NFPA Code. Use approved Bonding and Grounding procedures. Contents under pressure. Do not puncture, incinerate, or expose to temperatures above 120F. Heat from sunlight, radiators, stoves, hot water, and other heat sources could cause container to burst, do not take internally.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Oxidizing agents, strong acids.

Category NFPA 30B Level 2 Aerosol

Do not store where temperatures may exceed 120F (48.9C)

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

See Product Label

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|-----------------|--------|--|
| 0000057-55-6 | 1,2-Propanediol | OSHA | No Established Limit |
| | | ACGIH | TWA(Aerosol): 10 mg/m3 |
| | | NIOSH | No Established Limit |
| 0000064-17-5 | Ethanol | OSHA | TWA 1000 ppm (1900 mg/m3) |
| | | ACGIH | No Established Limit |
| | | NIOSH | TWA 1000 ppm (1900 mg/m3) |
| 0000067-64-1 | Acetone | OSHA | TWA 1000 ppm (2400 mg/m3) STEL 2400 mg/m3 |
| | | ACGIH | TWA: 500 ppm STEL: 750 ppm |
| | | NIOSH | 250 ppm (590 mg/m3) TWA |
| 0000074-98-6 | Propane | OSHA | TWA 1000 ppm (1800 mg/m3) |
| | | ACGIH | Ensure Minimal Oxygen Content (ACGIH appendix F) |
| | | NIOSH | TWA 1000 ppm (1800 mg/m3) |
| 0005989-27-5 | D-Limonene | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |



SDS Revision Date: 02/04/2021

| | NIOSH | No Established Limit |
|--|-------|----------------------|
| | | |

8.2. Exposure controls

Respiratory If personal exposure cannot be controlled to below applicable limits by ventilation, wear a

properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2. When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH/MSHA for dust that may be generated from this product,

underlying paint, or the abrasive.

Eyes Use safety glasses with side shields or chemical goggles. If exposure causes eye

discomfort, use a full-face respirator.

Skin Wear overalls to keep skin contact to a minimum. Chemical resistant gloves may be

needed for long term skin exposure.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color: Colorless to light yellow Physical State: Liquid.

Odor Peach

Odor threshold

PH

Not Determined

Melting point / freezing point

Initial boiling point and boiling range

Flash Point

Flash Point

Flammability (solid, gas)

Not determined

Not Determined

Not Determined

Not Determined

Not Determined

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Determined

Upper Explosive Limit: Not Determined

Vapor pressure (Pa)Not DeterminedVapor DensityNot DeterminedRelative DensityNot MeasuredSolubility in WaterInsoluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Not Determined

Not Determined

Not Determined



SDS Revision Date: 02/04/2021

VOC Content <30 % by Wt.

Maximum Incremental Reactivity N/A % Volatile (by volume) 100

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Oxidizing agents, strong acids.

10.6. Hazardous decomposition products

Carbon dioxide and carbon monoxide

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.



SDS Revision Date: 02/04/2021

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|-----------------------------|----------------------------------|---|---------------------------------------|--|--------------------------------|
| Acetone - (67-64-1) | 5,800.00, Rat - Category: NA | 7,426.00, Rabbit - Category: NA | 76.00, Rat - Category: NA | 50.10, Rat - Category: NA | No data available |
| Propane - (74-98-6) | No data available | No data available | 658.00, Rat - Category: NA | No data available | No data available |
| 1,2-Propanediol - (57-55-6) | 22,000.00, Rat - Category: NA | > 2,000.00, Rabbit - Category: NA | No data available | No data available | No data available |
| Ethanol - (64-17-5) | 10,470.00, Rat - Category: NA | 17,100.00, Rabbit - Category: NA | 124.70, Rat - Category: NA | No data available | No data available |
| D-Limonene - (5989-27-5) | >2,000.00, Rat - Category: 5 | > 5,000.00, Rabbit - Category: NA | No data available | No data available | No data available |

Carcinogen Data

Acute toxicity (inhalation)

| CAS No. | Ingredient | Source | ce Value | | | |
|-------------------------|-----------------|----------------------|---|---|--|--|
| 0000057-55-6 | 1,2-Propanediol | OSHA | Regulated Ca | rcinogen: No | | |
| | | NTP | Known: No; | Suspected: No | | |
| | | IARC | Group 1: No; | Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| | ACGIH | No Established Limit | | | | |
| 0000064-17-5 | Ethanol | OSHA | Regulated Carcinogen: No | | | |
| | | NTP | Known: No; | Suspected: No | | |
| | | IARC | Group 1: Yes | ; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| | | ACGIH | A3 | | | |
| 0000067-64-1 | Acetone | OSHA | Regulated Carcinogen: No | | | |
| | | NTP | Known: No; Suspected: No | | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | | |
| | | ACGIH | H A4 | | | |
| 0000074-98-6 | Propane | OSHA | Regulated Carcinogen: No | | | |
| | | NTP | Known: No; Suspected: No | | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | | |
| | | ACGIH | No Established Limit | | | |
| 0005989-27-5 | D-Limonene O | | Regulated Carcinogen: No | | | |
| | | NTP | Known: No; Suspected: No | | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No; | | | |
| | | ACGIH | No Established Limit | | | |
| Classification | | Car | tegory | Hazard Description | | |
| Acute toxicity (oral) | | | | Not Applicable | | |
| Acute toxicity (dermal) | | | | Not Applicable | | |

Not Applicable



SDS Revision Date: 02/04/2021

| Skin corrosion/irritation | | Not Applicable |
|-------------------------------|----|--------------------------------------|
| Serious eye damage/irritation | 2A | Causes serious eye irritation. |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | 1 | May cause an allergic skin reaction. |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | | Not Applicable |
| STOT-single exposure | 3 | May cause drowsiness or dizziness. |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|-----------------------------|--------------------------------|----------------------------------|---|
| Acetone - (67-64-1) | 8,120.00, Pimephales promelas | 8,800.00, Daphnia pulex | 7,000.00 (96 hr), Pseudokirchneriella subcapitata |
| Propane - (74-98-6) | 49.90, Fish | 69.43, Daphnia sp | 19.37 (72 hr), Algae |
| 1,2-Propanediol - (57-55-6) | 40,613.00, Salmo gairdneri | 18,340.00, Ceriodaphnia dubia | 24,200.00 (72 hr), Raphidocelis subcapitata |
| Ethanol - (64-17-5) | 15,400.00, Lepomis macrochirus | > 10,000, Daphnia magna | 17.921 (96 hr), Ulva pertusa |
| D-Limonene - (5989-27-5) | 0.72, Pimephales promelas | 0.307, Daphnia magna | 0.32 (72 hr), Pseudokirchneriella subcapitata |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.



SDS Revision Date: 02/04/2021

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) **Transportation**)

14.1. UN number UN1950 UN1950 UN1950

UN1950, Aerosols, Limited Aerosols, Limited Quantity Aerosols, Limited 14.2. UN proper shipping name

Quantity, 2.1, Quantity

14.3. Transport hazard **DOT Hazard Class: 2.1 IMDG: 2.1** Air Class: 2.1 Sub Class: Not Applicable Sub Class: Not class(es) **Sub Class:** Not Applicable

Applicable 14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

All components of this material are either listed or exempt from listing on the TSCA **Toxic Substance**

Control Act (TSCA) Inventory.

Note: Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and Developmental Lists when in alcoholic beverages.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ethanol

Proposition 65 - Carcinogens (>0.0%):

Myrcene

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



SDS Revision Date: 02/04/2021

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Myrcene], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

SDS Revision Date 02/04/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

IMPORTANT NOTE: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Document