

SDS Revision Date: 02/08/2021

### 1. Identification

1.1. Product identifier

Product Identity Metered Mist Odor Neutral 0744---005

Alternate Names Metered Mist Odor Neutral 0744---005

LHB Part Number: 0744---005

CAGE 0FTT5

National Stock Number: 6840-01-425-8232

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Air Freshener

1.3. Details of the supplier of the safety data sheet

Company Name LHB Industries

8833 Fleischer Place Berkeley, MO 63134

**Emergency** 

24 hour Emergency Telephone No. (800) 633-8253 (PERS)

Customer Service: LHB Industries (314) 423-4333

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Flam. Aerosol 1;H222 Extremely flammable aerosol.

Press. Gas;H280 Contains gas under pressure; may explode if heated.

Flam. Liq. 1;H224 Extremely flammable liquid and vapor.

Eye Dam. 2A;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Repr. 2;H361 Suspected of damaging fertility or the unborn child.

STOT SE 3;H336 May cause drowsiness or dizziness.

Simple Asphyxiant May displace oxygen and cause rapid suffocation.

#### 2.2. Label elements



Danger



SDS Revision Date: 02/08/2021

- H222 Extremely flammable aerosol.
- H224 Extremely flammable liquid and vapor.
- H280 Contains gas under pressure; may explode if heated.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness and dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- May displace oxygen and cause rapid suffocation.

Pressurized container: May burst if heated.

#### [Prevention]:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, sparks, open flames, and other ignition sources No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P233 Keep container tightly closed.
- P240 Ground, bond container and receiving equipment.
- P241 Use explosion-proof electrical, ventilating, light, equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P261 Avoid breathing dust, fume, gas, mist, vapors, spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves, eye protection, face protection.

#### [Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+312 IF INHALED: Call a poison center or doctor or physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P321 Specific treatment (see information on this label).

P333 If skin irritation or a rash occurs:

P337+313 If eye irritation persists: Get medical advice or attention.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.



SDS Revision Date: 02/08/2021

P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C , 122 °F.

#### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Acetone CAS Number: 0000067-64-1	50 - 75	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	
Propane CAS Number: 0000074-98-6	10 - 25	Flam. Gas 1;H220	
1,2-Propanediol CAS Number: 0000057-55-6	5 - 10	Not Classified	
Ethanol CAS Number: 0000064-17-5	1 - 5	Flam. Liq. 2;H225	
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)ALPHA. MET CAS Number: 0000080-54-6	0.10 - 1.0	Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Repr. 2;H361 Aquatic Chronic 2;H411	
Heptanal, 2-(phenylmethylene)- CAS Number: 0000122-40-7	0.10 - 1.0	Skin Sens. 1;H317 Aquatic Chronic 2;H411	
Linalool (ex bois de rose, synthetic) CAS Number: 0000078-70-6	0.10 - 1.0	Skin Sens. 1B;H317	
D-Limonene CAS Number: 0005989-27-5	0.10 - 1.0	Flam. Liq. 3;H226 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4- methylpentyl)- CAS Number: 0031906-04-4	0.10 - 1.0	Skin Sens. 1A;H317	
Benzyl salicylate CAS Number: 0000118-58-1	0.10 - 1.0	Skin Sens. 1B;H317 Eye Irrit. 2;H319 Aquatic Chronic 3;H412	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### Section 4. First aid measures

#### 4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



SDS Revision Date: 02/08/2021

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Treat symptomatically. Exposure to solvent vapor concentrations from the component

solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular weakness, drowsiness and in extreme cases, loss of

consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements)

for further details.

**Inhalation** May cause drowsiness or dizziness.

**Eyes** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction.

## Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Do not spray on an open flame or other ignition source.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust, fume, gas, mist, vapors, spray.

#### 5.3. Advice for fire-fighters



SDS Revision Date: 02/08/2021

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. 126

#### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit before re-entering.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

### Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Store this product below 120°F, in a cool, dry, well ventilated area away from heat, sparks, flame, oxidizers and out of direct sunlight.

Incompatible materials: Strong Oxidizing Agents, Strong Acids and Alkalis.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

### Section 8. Exposure controls / personal protection



SDS Revision Date: 02/08/2021

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000057-55-6	1,2-Propanediol	OSHA	No Established Limit
		ACGIH	TWA(Aerosol): 10 mg/m3
		NIOSH	No Established Limit
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	No Established Limit
		NIOSH	TWA 1000 ppm (1900 mg/m3)
0000067-64-1	Acetone	OSHA	TWA 1000 ppm (2400 mg/m3) STEL 2400 mg/m3
		ACGIH	TWA: 500 ppm STEL: 750 ppm
		NIOSH	250 ppm (590 mg/m3) TWA
0000074-98-6	Propane	OSHA	TWA 1000 ppm (1800 mg/m3)
		ACGIH	Ensure Minimal Oxygen Content (ACGIH appendix F)
		NIOSH	TWA 1000 ppm (1800 mg/m3)
0000078-70-6	Linalool (ex bois de rose, synthetic)	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0000080-54-6 BENZENEPRO	BENZENEPROPANAL, 4-(1,1-	OSHA	No Established Limit
	DIMETHYLETHYL)ALPHAMET	ACGIH	No Established Limit
		NIOSH	No Established Limit
0000118-58-1 Benzyl salicylate	OSHA	No Established Limit	
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0000122-40-7	Heptanal, 2-(phenylmethylene)-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0005989-27-5	D-Limonene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0031906-04-4	3-Cyclohexene-1-carboxaldehyde, 4-(4-	OSHA	No Established Limit
	hydroxy-4-methylpentyl)-	ACGIH	No Established Limit
		NIOSH	No Established Limit

#### 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

**Eyes** Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

**Skin** Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact.



SDS Revision Date: 02/08/2021

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

### Section 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Color: Colorless to light yellow Physical State: Liquid

**Odor** Floral

Odor threshold

PH

Not Determined

Flash Point

-156°F (Propane)

Evaporation rate (Ether = 1)

Not Determined

Not Determined

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Determined

**Upper Explosive Limit:** Not Determined

Vapor pressure (Pa) Not Determined **Vapor Density** Not Determined **Relative Density** Not Measured Solubility in Water Not Measured Partition coefficient n-octanol/water (Log Kow) Not Measured **Auto-ignition temperature** Not Determined **Decomposition temperature** Not Determined Viscosity (cSt) Not Determined **VOC Content** <30 % by Wt. **Maximum Incremental Reactivity** Not Measured

HAPS (Ibs/gal) 0.0
HAPS (Ibs/gal of Solids) 0.0
HAPS (Ibs/lb of Solids) 0.0
% Volatile (by volume) 100%

9.2. Other information

No other relevant information.

### Section 10. Stability and reactivity



SDS Revision Date: 02/08/2021

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong Oxidizing Agents, Strong Acids and Alkalis.

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## **Section 11. Toxicological information**

#### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Acetone - (67-64-1)	5,800.00, Rat - Category: NA	7,426.00, Rabbit - Category: NA	76.00, Rat - Category: NA	50.10, Rat - Category: NA	No data available
Propane - (74-98-6)	No data available	No data available	658.00, Rat - Category: NA	No data available	No data available
1,2-Propanediol - (57-55-6)	22,000.00, Rat - Category: NA	> 2,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Ethanol - (64-17-5)	10,470.00, Rat - Category: NA	17,100.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)- .ALPHAMET - (80-54-6)	No data available	No data available	No data available	No data available	No data available
Heptanal, 2-(phenylmethylene) (122-40-7)	No data available	No data available	No data available	No data available	No data available



SDS Revision Date: 02/08/2021

Linalool (ex bois de rose, synthetic) - (78-70-6)	2,790.00, Rat - Category: 5	5,610.00, Rabbit - Category: NA	No data available	No data available	No data available
D-Limonene - (5989-27-5)	>2,000.00, Rat - Category: 5	> 5,000.00, Rabbit - Category: NA	No data available	No data available	No data available
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl) (31906-04-4)	No data available	No data available	No data available	No data available	No data available
Benzyl salicylate - (118-58-1)	No data available	No data available	No data available	No data available	No data available

### Carcinogen Data

CAS No.	Ingredient	Source	Value	
0000057-55-6 1,2-Propanediol		OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0000064-17-5	Ethanol	OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	A3	
0000067-64-1	Acetone	OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	A4	
0000074-98-6	Propane	OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0000078-70-6 Linalool (ex bois de rose, synthetic)		OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0000080-54-6 BENZENEPROPANAL, 4-(1,1- DIMETHYLETHYL)ALPHAMET		OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0000118-58-1	Benzyl salicylate	OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0000122-40-7	Heptanal, 2-(phenylmethylene)-	OSHA	Regulated Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
		ACGIH	No Established Limit	
0005989-27-5	D-Limonene	OSHA	Regulated Carcinogen: No	



SDS Revision Date: 02/08/2021

		NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: N				
		ACGIH	No Establishe	ed Limit			
0031906-04-4 3-Cyclohexene-1-carboxaldehyde,			SHA Regulated Carcinogen: No				
	4-(4-hydroxy-4-methylpentyl)-	NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Establishe	No Established Limit			
Classificatio	n	Ca	tegory	Hazard Description			
Acute toxicity	(oral)			Not Applicable			
Acute toxicity	(dermal)			Not Applicable			
Acute toxicity (inhalation)				Not Applicable			
Skin corrosion/irritation				Not Applicable			
Serious eye damage/irritation		2A		Causes serious eye irritation.			
Respiratory sensitization				Not Applicable			
Skin sensitiza	ation	1		May cause an allergic skin reaction.			
Germ cell mu	tagenicity			Not Applicable			
Carcinogenic	ity			Not Applicable			
Reproductive toxicity		2		Suspected of damaging fertility or the unborn child.			
STOT-single exposure		3		May cause drowsiness or dizziness.			
STOT-single exposure				Not Applicable			
STOT-repeated exposure				Not Applicable			
Aspiration hazard				Not Applicable			

# Section 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Acetone - (67-64-1)	8,120.00, Pimephales promelas	8,800.00, Daphnia pulex	7,000.00 (96 hr), Pseudokirchneriella subcapitata
Propane - (74-98-6)	49.90, Fish	69.43, Daphnia sp	19.37 (72 hr), Algae
1,2-Propanediol - (57-55-6)	40,613.00, Salmo gairdneri	18,340.00, Ceriodaphnia dubia	24,200.00 (72 hr), Raphidocelis subcapitata
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	> 10,000, Daphnia magna	17.921 (96 hr), Ulva pertusa
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)- .ALPHAMET - (80-54-6)	Not Available	Not Available	Not Available
Heptanal, 2-(phenylmethylene) (122-40-7)	Not Available	Not Available	Not Available



**SDS Revision** Date: 02/08/2021

Linalool (ex bois de rose, synthetic) - (78-70-6)	27.80, Oncorhynchus tshawytscha	59.00, Daphnia magna	156.70 (96 hr), Desmodesmus subspicatus
D-Limonene - (5989-27-5)	0.72, Pimephales promelas	0.307, Daphnia magna	0.32 (72 hr), Pseudokirchneriella subcapitata
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl) (31906-04-4)	Not Available	Not Available	Not Available
Benzyl salicylate - (118-58-1)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### **Section 14. Transport information**

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1950	UN1950	UN1950
14.2. UN proper shipping name	UN1950, Aerosols, Flammable, Limited Quantity, 2.1, NA	Aerosols, Flammable, Limited Quantity	Aerosols, Flammable, Limited Quantity
14.3. Transport hazard class(es)	DOT Hazard Class: 2.1 Sub Class: Not Applicable	IMDG: 2.1 Sub Class: Not Applicable	Air Class: 2.1 Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

## Section 15. Regulatory information



SDS Revision Date: 02/08/2021

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

**Note:** Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and Developmental Lists when in alcoholic beverages.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

Ethanol

#### Proposition 65 - Carcinogens (>0.0%):

Myrcene

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**



WARNING: This product can expose you to chemicals including [Myrcene], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### Section 16. Other information

#### SDS Revision Date 02/08/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



SDS Revision Date: 02/08/2021

- H319 Causes serious eye irritation.
- H336 May cause drowsiness and dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

IMPORTANT NOTE: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Document**