LIGHTHOUSE for the BLIND ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

1. Identification

1.1. Product identifier

Product Identity General Purpose Detergent (Liquid Nonionic)

Alternate Names Specification: MIL-D-16791G, Type I

LHB Part Number: 1064006, 1064007, 1064008 National Stock Number: 7930-00-282-9699, 7930-00-985-6911, 7930-00-282-9700,

CAGE Code: 1A864

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name LHB Industries

8833 Fleischer Place Berkeley, MO 63134

Emergency

24 hour Emergency Telephone No. (800) 633-8253 (PERS)

Customer Service: LHB Industries (314) 423-4333

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 4;H302 Harmful if swallowed. Skin Irrit. 2;H315 Causes skin irritation.

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements



Danger

SDS Revision Date:

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

08/23/2018

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

[Prevention]:

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P321 Specific treatment (see information on this label).

P330 IF SWALLOWED: Rinse mouth.

P332+313 If skin irritation occurs: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Nonylphenol polyethylene glycol ether CAS Number: 0127087-87-0		Eye Dam. 1;H318 Acute Tox. 4;H302 Skin Irrit. 2;H315	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview ROUTES OF EXPOSURE: Exposure may be by INGESTION, INHALATION

and/or SKIN or EYE contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal

protective equipment.

EFFECTS OF OVEREXPOSURE: Irritation of eyes, skin and upper respiratory

system. SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Redness and itching or burning sensation

may indicate eye or excessive skin exposure.

MEDICAL CONDITIONS AGRAVATED BY EXPOSURE: Pre-existing respiratory, skin, eye, liver, kidney and lymphatic disorders. Treat

symptomatically. See section 2 for further details.

Eyes Causes serious eye damage.

SkinCauses skin irritation.IngestionHarmful if swallowed.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Monoxide and Carbon Dioxide

5.3. Advice for fire-fighters

Water or foam may cause frothing

SDS Revision Date:

08/23/2018



Use water spray to keep fire-exposed containers cool. If a spill has ignited, use water spray to disperse the vapors. Use a water spray to flush spills away from a fire and to dilute spills to non-flammable mixtures. Do not flush into a storm drain or public sewer. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity. Use self-contained breathing apparatus (SCBA) and proper personal protection clothing. There are no known unusual fire and explosion hazards associated with this material in its virgin form. However, in a firefighting scenario involving multiple chemicals, fire fighters should be aware of possible synergistic effects and attack the fire accordingly.

ERG Guide No. 171

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Read entire label before using and follow all label directions.

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Wipe, scrape or soak up contents in an inert material. Pick up spill for recovery or disposal and place in a closed container

Section 7. Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not take internally. Do not consume food, drink or smoke while handling this product.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep from freezing. Avoid storage in high temperatures or near open flame. Store in dry cool place. Incompatible materials: Oxidizing agents and acids.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

for the BLINI ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

Section 8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0127087-87-0	127087-87-0 Nonylphenol polyethylene glycol ether	OSHA	No Established Limit
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
		Supplier	No Established Limit

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Wear safety glasses with side shields to protect the eyes. An eye wash station **Eyes**

is suggested as a good workplace practice.

Skin Wear overalls to keep skin contact to a minimum. Wear PVC or rubber gloves

to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work **Practices**

Avoid contact with skin and clothing. Wear suitable protective clothing. Body garments used should be based upon the task being performed (e.g., lab coat, chemical resistant protective suit, sleevelets, synthetic apron, gauntlets) to avoid exposed skin surfaces. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical

products if a risk assessment indicates this is necessary.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly

before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Colorless Liquid

Odor Slight

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

Odor threshold

pH

Not Measured

Melting point / freezing point

Initial boiling point and boiling range

Flash Point

Evaporation rate (Ether = 1)

Flammability (solid, gas)

Not determined

Not Measured

Not Measured

Slower than ether

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not determined

Upper Explosive Limit: Not determined

Vapor pressure (Pa)<1 mmHg @20 C</th>Vapor DensityNot MeasuredSpecific Gravity1.06 (8.84 lb/gal)

Solubility in Water >10%

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot MeasuredViscosity (cSt)Not Measured

VOC Content <1% by wt. (ASTM D 2369), <0.09 lbs/gal

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Oxidizing agents and acids.

10.6. Hazardous decomposition products

Carbon Monoxide and Carbon Dioxide

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Nonylphenol polyethylene glycol ether - (127087-87-0)	No data available	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value	
0127087-87-0	- - - - - - - - -		Regulated Carcinogen: No	
glycol ether	NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SDS Revision Date:

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

08/23/2018

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Nonylphenol polyethylene glycol ether - (127087-87-0)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN3082	UN3082	UN3082
14.2. UN proper shipping name	UN3082, Environmentally hazardous substances, liquid, n.o.s., (NONYLPHENOL ETHOXYLATE), 9, III	Environmentally hazardous substances, liquid, n.o.s., (NONYLPHENOL ETHOXYLATE)	Environmentally hazardous substances, liquid, n.o.s., (NONYLPHENOL ETHOXYLATE)

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

SDS Revision Date: 08/23/2018

14.3. DOT Hazard Class: 9 IMDG: 9 Air Class: 9

Transport Sub Class: Not Applicable

hazard class(es)

14.4. ||| |||

Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

No further information

Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive, only

Overview selected regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the

Control Act (TSCA) TSCA Inventory.

WHMIS 1988 D2B E

Classification

US EPA Tier II Fire: No

Hazards

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): Yes

Delayed (Chronic): No

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Cailfornia PROP 65

This product contains a chemical that is at or below California Proposition 65's "safe harbor level" as determined via risk assessment. Therefore, the chemical is not required to be listed as a PROP 65 chemical on the SDS or label.

SDS Revision Date:

LIGHTHOUSE for the BLIND ST. LOUIS, MO.

08/23/2018

Section 16. Other information

SDS Revision Date 08/23/2018

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

IMPORTANT NOTE: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Document