## **SAFETY DATA SHEET**





# SKILCRAFT® Bravo™

**Heavy Duty Low Odor Stripper** 

**Revision:** 05/02/2019 **Version:** 01.0

#### 1. IDENTIFICATION

**Product name:** Bravo Heavy Duty Low Odor Stripper

Product Code: 7930-01-380-8469, 7930-01-380-8381, 7930-01-380-8341

**LHB Part No** 1064440, 1064401, 1064402

Recommended use: Floor Stripper

Industrial/Intitutional

This product is intended to be diluted prior to use

Uses other than those identified are not recommended

Supplier:

Packaged and Distributed By Lighthouse for the Blind 8833 Fleischer Place Berkeley, MO 63134

Uses advised against:

Emergency telephone number: 1-800-542-3697 (Customer Service); 1-800-633-8253 (PERS)

#### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Metal Corrosion: Category 1



Signal Word: Danger.

#### **Hazard Statements**

# CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS. Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

#### Classification for the diluted product @ 1:4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Metal Corrosion: Category 1



Dilution Signal word: Danger.

#### **Hazard and Precautionary Statements**

#### CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s)   | CAS#        | Weight %     |
|---|-------------|--------------|
| Sodium hydroxide  | 1310-73-2   | 5 - 10%      |
| Monoethanolamine  | 141-43-5    | 1 - 5%       |
| Ammonium laureth sulfate  | 67762-19-0  | > 0.1 - < 1% |
| Benzene, 1,1`-oxybis-, tetrapropylene derivs., sulfonated, sodium salts | 119345-04-9 | > 0.1 - < 1% |

<sup>\*</sup>Exact percentages are being withheld as trade secret information

#### 4. FIRST AID MEASURES

## **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

#### **Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

### 5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: None known. Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

and clean-up methods: a chemical waste container. Use a water rinse for final clean-up.

#### 7. HANDLING AND STORAGE

Handling: Mix only with water. DO NOT MIX WITH AMMONIA, BLEACH, OR OTHER CHLORINATED COMPOUNDS. May vigorously react with strong alkaline products resulting in spattering and excessive heat. Can react to release hazardous gases. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable): Not applicable.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

| Ingredient(s)    | CAS#      | ACGIH             | OSHA          |
|------------------|-----------|-------------------|---------------|
| Sodium hydroxide | 1310-73-2 | 2 mg/m³ (Ceiling) | 2 mg/m³ (TWA) |
| Monoethanolamine | 141-43-5  | 6 ppm (STEL)      | 3 ppm (TWA)   |
|                  |           | 3 ppm (TWA)       | 6 mg/m³ (TWA) |

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

**Skin and body protection:** Protective footwear. Wear suitable protective clothing.

**Respiratory protection:**No personal protective equipment required under normal use conditions. **Hygiene measures:**Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

## Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

Skin and body protection:
Respiratory protection:
No personal protective equipment required under normal use conditions.
No personal protective equipment required under normal use conditions.
Hygiene measures:
Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available

Density: 9.08 1.089

Bulk density: No information available Flash point (°F): >200°F > 93 °C

Viscosity: 2 cP

Color: Clear Colorless
Odor: No Odor/Odorless

Boiling point/range: Not determined

**Decomposition temperature:** Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.089 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

VOC: 4.7 % \* pH: 13

Flammability (Solid or Gas): Not applicable Corrosion to metals: Metal corrosive

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH: 12.3

Dilution Flash Point (°F): > 200 °F > 93.4 °C

VOC % by wt. at use dilution: 0.9 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

#### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: Not Applicable The product is stable

Possibility of hazardous reactions: May vigorously react with strong alkaline products resulting in spattering and excessive heat.

**Hazardous decomposition products:** None reasonably foreseeable.

Materials to avoid:

Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any other product or

chemical unless specified in the use directions.

**Conditions to avoid:** No information available.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

#### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000 ATE - Dermal (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): >20

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

<u>Persistence and Degradability:</u> No information available.

Bioaccumulation: No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal,

whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): D002 Corrosive Waste

**Contaminated Packaging:** Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, ethanolamine), 8, II

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, ethanolamine), 8, II

## 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### **RIGHT TO KNOW (RTK)**

| Ingredient(s)  | CAS#        | MARTK: | NJRTK: | PARTK: | RIRTK: |
|--|-------------|--------|--------|--------|--------|
| Water  | 7732-18-5   | -      | -      | -      | -      |
| Sodium hydroxide   | 1310-73-2   | Х      | X      | X      | X      |
| Monoethanolamine   | 141-43-5    | Х      | X      | X      | -      |
| Sodium xylene sulfonate                                    | 1300-72-7   | -      | -      | -      | -      |
| Ammonium laureth sulfate                                   | 67762-19-0  | -      | -      | -      | -      |
| Benzene, 1,1`-oxybis-, tetrapropylene derivs., sulfonated, | 119345-04-9 | -      | -      | -      | -      |
| sodium salts   |             |        |        |        |        |

## **CERCLA/ SARA**

| <u>OLITOLI V OTTOT</u> |                  |           |          |                      |                       |             |
|------------------------|------------------|-----------|----------|----------------------|-----------------------|-------------|
|                        | Ingredient(s)    | CAS#      | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|                        | Sodium hydroxide | 1310-73-2 | 5 - 10%  | 1000                 |                       |             |

## Canadian Regulations

| Ingredient(s) | CAS#    | NPRI |
|---------------|---------|------|
| Ethyl alcohol | 64-17-5 | Χ    |

## **16. OTHER INFORMATION**

#### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

#### **Diluted Product:**

Health 3 Flammability 0 Instability 0 Special Hazards -

Revision: 05/02/2019 Version: 01.0

Reason for revision: Not applicable Prepared by:
Additional advice:

North American Regulatory Affairs
Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.